# Northwest Science
# Volume 66 (1992)
# Author and Subject Index

**[Entry headings for AUTHORS are distinguished from subject entries by the use of capital letters.]**


*Abies* *see* pines
agriculture
  agroclimatic zones for winter wheat, Douglas *et al.*, 26-34
AHTI, T.T. List of names in current use (NCU) in Cladoniaceae. 132(abs105)
alder
  mortality of mountain alder, Filip *et al.*, 194-198
  red (*Alnus rubra*) root systems, Li and Ho, 115(abs36)
algae
  macroalgae, Bulthuis, 113(abs25)
  red tide alga *Heterosigma akashiwo*, Fairbanks, 111(abs19)
*Alnus* *see* alder
AMARANTHUS, M.P. *see* Clarkson *et al.*, 128(abs88)
*Ammorpha* *see* indigobush
amphibians
  hazards for frogs, Boyer, 139(abs131)
  spotted frog distribution, Leonard, 125(abs74)
  tailed frogs, Gray, l 115(abs34)
ANTOS, J.A. *see* Zobel and Antos, 122(abs61)
*Aplodontia* *see* mountain beaver
archaeology
  resource distribution on coastal islands, Gard, 207-217
ARMANTROUT, N.B. Riparian communities in western Oregon. 136(abs122)
ascidians
  reproductive cycles, Bingham, 110(abs16)
associations
  macroinvertebrates and macrophytes, Parsons, 114(abs29)
AUBRY, K.B., and D.B. HOUSTON. Distribution and status of the fisher in Washington. 125(abs75)
AVERY, W.E., and C. HAWKINSON. Gray whale feeding in a northern California estuary, 199-203

BACKMAN, T. Columbia River basin salmon production. 135(abs117)
BAHLS, P. The status of fish populations and management of high mountain lakes in the western United States. 183-193
BAILEY, K.M. *see* Canino and Bailey, 112(abs22)/134 (abs113)
BASABE, F.A. Effects of grazing on high elevation sensitive plant habitats in the Okanogan National Forest. 120(abs54)
_____. Ozone in western Washington forests. 118(abs45)
BASABE, T. *see* Bilak and Basabe, 121(abs60)
_____. *see* Cuykendall and Basabe, 118(abs46)
BEAUCHAMP, D.A., S.A. VECHT, and G.L. THOMAS. Temporal, spatial, and size-related foraging of wild cutthroat trout in Lake Washington, 149-159
beaver (*Castor canadensis*)
  dams and salmon fry, Leidholt-Bruner *et al.*, 218-223
BECHARD, M.J. *see* Gossett and Bechard, 115(abs33)
BELL, J.H., J.L. LAUER, and J.M. PEEK. Habitat use patterns of white-tailed deer, Umatilla River, Oregon. 160-171
BENNETT, C.R. *see* Bonar *et al.*, 142(abs143)
BENNETT, D.H. *see* Underwood and Bennett, 261-268
BEVIS, K.R. Primary cavity excavators in managed *Abies grandis* forest habitats in Washington's East Cascades. 119(abs51)
BIELAK, T., and T. BASABE. Re-classification of forest and high elevation range habitats in the eastern North Cascades of Washington. 121(abs60)
BILBY, R.E., and B.R. FRANSEN. Effect of habitat enhancement and canopy removal on the fish community of a headwater stream. 137(abs123)
BINGHAM, B.L. Environmental cues and the reproductive cycles of three temperate ascidian species. 110(abs16)
biodiversity
  fish stocks, Lichatowich, 107(abs3)
  forest management, Haug, 108(abs8)
  forest management, Kiester, 107(abs2)
  landscape management, Peterson, 107(abs1)
  market values, Vincent, 107(abs4)
  non-market values, Hagen, 108(abs5)
  of Olympic National Park, Schreiner, 108(abs6)
  WDNR strategy, Sheehan, 108(abs7)
birds
  bald eagle distribution, Watson, 126(abs80)
  cavity excavators in forests, Bevis, 119(abs51)
  coast gull flocks, Merrifield, 126(abs82)
  density estimates, Brandt and Rickard, 172-182
  great blue heron nests, Stabins and Raedeke, 126(abs81)
  in Washington shrub steppe, Dobler, 126(abs79)
  morphological differences in hawks, Gossett and Bechard, 115(abs33)
  nesting ravens, Campbell, 127(abs83)
  spotted owl habitat, Kerschke and Carey, 128(abs90)
BLAND, C.R. The November 1990 flood in south western British Columbia, and overview of the restoration process. 110(abs13)/138(abs127)
BLATNER, K.A. *see* Schlosser *et al.*, 44-55
BODI, F.L. The use of the Endangered Species Act now and in the future. 141(abs140)
BONAR, S.A., C.R. BENNETT, G.B. PAULEY, and G.L. THOMAS. Capture of grass carp from vegetated lakes. 142(abs143)
botany
  endangered plants, Thomas and Carey, 119(abs50)
  ferns and moonworts, Wagner, 120(abs56)
  in vitro propagation of *Melaleuca alternifolia*, Wah and Kohn, 124(abs70)
  indigobush invasion, Halse and Glad, 122(abs62)
  meadowfoam propagation, Southworth and Kwiatowski, 40-43
  plant communities, Wooten and Morrison, 122(abs64)
  plant community preservation, Crawford and Trinh, 120 (abs55)
  plant habitats and grazing, Basabe, 120(abs54)
  plant spacings, Wagner, 124(abs72)
  plant survival under tephra, Zobel and Antos, 122(abs61)
  range habitat classification, Bielak and Basabe, 121(abs60)
  rare plants in Washington, Gamon, 121(abs57)
  rare plants in Wenatchee Mountains, Harrod, 121(abs59)
  seagrasses and macroalgae, Bulthuis, 113(abs25)
  *Sidalcea malvaeflora* ssp. *elegans* seed set, Dimling, 35-39
  W-wave hypothesis, Wagner, 124(abs71)
  watershed vegetation, Harrod and Taylor, 121(abs58)
  yellow starthistle dispersal, Roch, 62-65

BOYER, R. Assessment of aquatic hazards for frogs at Tule Lake at Lower Klamath National Wildlife Refuge using the frog embryo teratogenesis. 139(abs131)
BRANDT, C.A. and W.H. RICKARD, Jr. Effects of survey frequency on bird density estimates in the shrub-steppe environment. 172-182
British Columbia
  cobo salmon, Irvine and Johnston, 15-25
  flood damage, Bland, 110(abs13)/138(abs127)
BROUGH, S.G. Biodiversity of the species *Usnea longissima*. 131(abs104)
BROWN, H.A. Studies of three translocated populations of the western fence lizard in northern Puget Sound. 127(abs84)
BRULISAUER, A.R., and M.D. PITT. Ecology and successional status of terrestrial and arboreal lichens on the winter range of the Itcha/Ilgachuz caribou. 130(abs98)
BRUYA, K. Salmonid enhancement lessons from large-scale programs in other areas. 138(abs130)
bryophytes
  distribution on Garry oak trunks, Ryan, 131(abs102)
  endangered, Christy, 129(abs94)
  in Douglas-fir, McCune, 132(abs108)
  in old-growth conifers, Sillett and Sillett, 132(abs107)
BUCHANAN, J.P. *see* Kiver *et al.*, 109(abs12)
BULTHUIS, D.A. Distribution and summer standing crop of seagrasses and macroalgae in Padilla Bay, Washington, 1989. 113(abs25)
BURLEY, C.C. Implementation of the northern squawfish sport-reward fishery on the Columbia and Snake rivers. 139(abs134)
*Buteo* *see* hawks
BUTLER, D.R. and G.P. MALANSON. Effects of terrain on excessive travel distance by snow avalanches. 77-85

California
  gray whale feeding, Avery and Hawkinson, 199-203
CAMACHO, F.J. *see* Palmer-Muller *et al.*, 131(abs101)
CAMERON, K.A. Alkali lake, Or.: geology of a toxic waste site. 109(abs11)
CAMPBELL, D.L. *see* Farley and Campbell, 120(abs53)
CAMPBELL, L.T. Preliminary observations of nesting ravens (*Corvus corax*) on San Juan island, Washington. 127(abs83)
CAMPBELL, M.D. *see* Gee *et al.*, 237-250
*Cancer* *see* crabs
CANINO, M.F. and K.M. BAILEY. RNA/DNA ratios as indicators of nutritional condition of larval walleye pollock, *Theragra chalcogramma*. 112(abs22)/134(abs113)
CAREY, A.B. *see* Gillesberg and Carey, 128(abs89)
_____. *see* Kerschke and Carey, 128(abs90)
_____. *see* Ryan and Carey, 129(abs91)
_____. *see* Thomas and Carey, 119(abs50); 142(abs144)
_____. *see* Wilson and Carey, 129(abs92)
carp, grass
  capture, Bonar *et al.*, 142(abs143)
*Castor* *see* beaver
caves
  Gardner Cave, Washington, Kiver *et al.*, 109(abs12)
cedars (Cupressaceae)
  western red (*Thuja plicata*) seedling variation, Cherry, 116(abs39)
*Centaurea* *see* starthistle
CHANG, X.C. *see* Preston *et al.*, 117(abs42)
CHANWAY, C.P., and G.A. O'NEILL. Growth response specificity of spruce inoculated with rhizosphere bacteria. 117(abs41)
CHERRY M. Genetic variation of frost hardiness in western red cedar (*Thuja plicata* Donn) seedlings. 116(abs39)
CHRISTY, J.A. Global perspective on endangered bryophytes. 129(abs94)
CITTERMAN, R.J. *see* Strand *et al.*, 1-14
clams
  distribution on beach, Hanson, 111(abs20)
CLARKSON, D.A., L.S. MILLS, M.P. AMARANTHUS, and J. RAMSTETTER. Hypogeous sporocarps in managed and unmanaged forests of southwestern Oregon. 128(abs88)
*Clethrionomys* *see* voles
COLE, D.N., and S.J. TRULL. Quantifying vegetation response to recreational disturbance in the North Cascades, Washington. 229-236
communication
  inter-agency information sharing, Roger, 136(abs120)
crabs
  Dungeness crab (*Cancer magister*), Johnson, 111(abs17)
  *Hemigrapsus oregonensis*, Hartman, 111(abs18)
CRAWFORD, R.C., and S. TRINH. Setting plant community preservation priorities. 120(abs55)
CRECELIUS, E.A. *see* Strand *et al.*, 1-14
crickets
  house, *Acheta domesticus*, Lorenson, 113(abs28)
crustaceans
  Dungeness crab (*Cancer magister*), Johnson, 111(abs17)
  *Hemigrapsus oregonensis*, Hartman, 111(abs18)
CULLINAN, V.I. *see* Strand *et al.*, 1-14
CUYKENDALL, L. and T. BASABE. Cloudwater chemistry at Stampede Pass and the Alpine Lakes Wilderness Area. 118(abs46)
*Cytospora* sp.
  infection in mountain alder, Filip *et al.*, 194-198

deer (*Odocoileus*)
  white-tailed (*O. virginianus ochrourus*) habitat use, Bell *et al.*, 160-171
DENISON, W.C. *see* Palmer-Muller *et al.*, 131(abs101)
DERR, C.C., and B. McCUNE. New transplant methods for epiphytic lichens. 131(abs103)
DEUSEN, M.S. People versus fish. 135(abs118)
DIMLING, J.F. Analysis of the biotic factors affecting the seed set of a rare Pacific Northwest endemic: *Sidalcea malvaeflora* (D.C.) Gray ex Benth. *elegans* (Greene) C.L. Hitch. 35-39
DOBLER, F.C. Washington state shrub steppe ecosystem studies. 126(abs79)
DOUGLAS, C.L., Jr., R.W. RICKMAN, B.L. KLEPPER, J.F. ZUZEL, and D.J. WYSOCKI. Agroclimatic zones for dryland winter wheat producing areas of Idaho, Washington, and Oregon. 26-34
Douglas-fir *see* pines

eagles, bald (*Haliaetus leucocephalus*)
  distribution, Watson, 126(abs80)
echinoderms
  sand dollars, Williams, 113(abs26)
elk (*Cervus*)
  mortality and biotelemetry, Smith *et al.*, 129(abs93)
  Roosevelt (*C. elaphus roosevelti*) and forests, Woodward *et al.*, 123(abs68)
EMMINGHAM, W.H. *see* Entry and Emmingham, 117(abs44)
endangered species
  bryophytes, Christy, 129(abs94)
  legislation, Bodi, 141(abs140)
  legislation, Howell, 141(abs139)

plants in Washington, Gamon, 121(abs57)
plants in Wenatchee Mountains, Harrod, 121(abs59)
plants, Thomas and Carey, 119(abs50)
spotted owl habitat, Kerschke and Carey, 128(abs90)
ENTRY, J.A., and W.H. EMMINGHAM. Influence of riparian vegetation on microbial degradation of herbicides in soil. 117(abs44)
environmental data
NED databases, Paquet and Pansky, 140(abs136)

FAIRBANKS, C.N. Growth of the red tide alga *Heterosigma akashiwo*. 111(abs19)
FARLEY, J.P., and D.L. CAMPBELL. Winter food caching by mountain beavers (*Aplodontia rufa*) in a girdled Douglas-fir stand. 120(abs53)
farming *see* agriculture
FAYER, M.J. *see* Gee *et al.*, 237-250
ferns
*Botrychium* sp in Northwest, Wagner, 120(abs56)
FILIP, G.M., C.A. PARKS, and G.L. STARR. Incidence of wound-associated infection by *Cytospora* sp. in mountain alder, red-osier dogwood, and black hawthorn in Oregon. 194-198
fires
conifer regeneration, Little and Peterson, 123(abs67)
prediction, Garcia and Woodard, 119(abs49)
firs *see* pines
fish
algal-caused mortality, Rensel, 141(abs142)
benthic surveillance program, Landahl, 133(abs110)/140 (abs135)
capture of carp, Bonar *et al.*, 142(abs143)
chinook salmon decline, Vogel, 141(abs141)
co-management, Pauley, 135(abs116)
coho salmon habitat use, Irvine and Johnston, 15-25
cutthroat trout foraging, Beauchamp *et al.*, 149-159
dynamic pool model, Thompson, 112(abs23)/134(abs114)
environmental data base, Paquet and Pansky, 140(abs136)
escapement information system, Konkel, 140(abs137)
flood restoration work, Bland, 138(abs127)
flood restoration work, Williams, 138(abs128)
habitat enhancement, Bilby and Fransen, 137(abs123)
hatchery salmon density, Mazur and Iwama, 140(abs138)
hatchery survival rates, Hilborn, 137(abs125)
hatchery survival rates, Wright, 137(abs126)
juvenile coho salmon, Minakawa and Kraft, 114(abs30)
lake populations, Bahls, 183-193
Pacific salmon stocks, Lichatowich, 107(abs3)
protection of habitat, Deusen, 135(abs118)
riparian and stream management, Armantrout, 136(abs122)
salmon culture, Peck, 138(abs129)
salmon food habits, Urakawa *et al.*, 114(abs31)
salmon fry and beaver dams, Leidholt-Bruner *et al.*, 218-223
salmon restoration program, Backman, 135(abs117)
salmonid enhancement, Bruya, 138(abs130)
salmonid restoration program, Lincoln *et al.*, 136(abs119)
squawfish sport-reward fishing, Burley, 139(abs134)
stock identification techniques, Ianelli, 134(abs111)
stock identification techniques, Walker and Myers, 134 (abs112)
stock status information, Noble, 136(abs121)
stream ecology, Lonzarich, 137(abs124)
sturgeon habitat, Miller and Parsley, 139(abs132)
sturgeon reproduction, Sprague, 139(abs133)
trout in reservoirs, Hubert and Guenther, 224-228
trout populations, Underwood and Bennett, 261-268
walleye pollock larvae, Canino and Bailey, 112(abs22)/ 134(abs113)
walleye pollock spawning, Merati, 112(abs21)/135(abs115)
fishers (*Martes pennanti*)
distribution in Washington, Aubry and Houston, 125(abs75)
FLEISCHMANN, M.L. *see* Strand *et al.*, 1-14
floods
restoration work, Bland, 110(abs13)/138(abs127)
restoration work, Williams, 138(abs128)
floral greens
forest production, Schlosser *et al.*, 44-55
forests
bird cavity excavators, Bevis, 119(abs51)
blowdown, Pyle, 118(abs47)
cedar seedlings, Cherry, 116(abs39)
*Cytospora* infection, Filip *et al.*, 194-198
Douglas-fir wood shrinkage, Koshy and Lester, 116(abs40)
ecozones, Henderson *et al.*, 118(abs48)
elk and old-growth forests, Woodward *et al.*, 123(abs68)
enhancing diversity in stands, Thomas and Carey, 142(abs144)
fires, Garcia and Woodard, 119(abs49)
floral greenery production, Schlosser *et al.*, 44-55
management and biodiversity, Haug, 108(abs8)
management and biodiversity, Kiester, 107(abs2)
minerals and spruce seedlings, Wagner, 124(abs69)
oak woodlands, Riegel *et al.*, 66-76
old-growth Douglas-fir forests, Maguire, 204-205
ozone, Basabe, 118(abs45)
pine damage, Farley and Campbell, 120(abs53)
pine damage, Friedmann, 119(abs52)
pine seedlings, Lavender and Silim, 116(abs37)
plants and grazing, Basabe, 120(abs54)
red alder root systems, Li and Ho, 115(abs36)
reforestation, Helgerson *et al.*, 57-61
regeneration after fire, Little and Peterson, 123(abs67)
salal and conifer regeneration, Preston *et al.*, 117(abs42)
small mammal abundance, Gillesberg and Carey, 128(abs89)
soil moisture determination, Gray, 117(abs43)
spotted owls and diversity, Kerschke and Carey, 128(abs90)
spruce growth and bacteria, Chanway and O'Neill. 117(abs41)
spruce seedlings, Lavender and Silim, 116(abs38)
tree growth, Peterson and Peterson, 123(abs65)
tree invasions, Rochefort and Peterson, 123(abs66)
vegetation and herbicide degradation, Entry and Emmingham, 117(abs44)
*see also* lichens
Fort Lewis Military Reservation
endangered plants, Thomas and Carey, 119(abs50)
FORTMAN, T.J. *see* Strand *et al.*, 1-14
foxes, red
using intertidal zone, Holmes, 115(abs35)
FRANKLIN, J.F. *see* Riegel *et al.*, 66-76
FRANSEN, B.R. *see* Bilby and Fransen, 137(abs123)
FRIEDMANN, K.A. Barking damage of lodgepole pine. 119 (abs52)
frogs
embryo mortality and water quality, Boyer, 139(abs131)
spotted (*Rana pretiosa*) distribution, Leonard, 125(abs74)
tailed (*Ascaphus truei*), Gray, 115(abs34)
fungi
infection in mountain alder, Filip *et al.*, 194-198
VAM fungi in sagebrush-grass systems, Goodwin, 251-260

GAHR, M.L. Distribution of pygmy rabbit (*Brachylagus idahoensis*) burrows in Sagebrush Flats, Washington. 125(abs76)
GAMON, J.G. Status of rare plant inventory and protective efforts in Washington state. 121(abs57)
GARCIA, C.V., P.M. WOODARD, and B.S. LEE. Predicting the location of recreational-caused fires in Slave Lake Provincial Forest, Alberta. 119(abs49)
GARD, H.A. Resource distribution and prehistoric utilization of southern Oregon's coastal islands. 207-217
GEE, G.W., M.J. FAYER, M.L. ROCKHOLD, and M.D. CAMPBELL. Variations in recharge at the Hanford Site. 237-250
genetics
  simulating inheritance, Thelen, 114(abs32)
geology
  Alkali Lake, Oregon, Cameron, 109(abs11)
*Giardia*
  cysts, Kramár, 110(abs15)
GIBBONS, B. *see* Lincoln *et al.*, 136(abs119)
GIBSON, B.R. *see* Kiver *et al.*, 109(abs12)
GILLESBERG, A.-M. and A.B. CAREY. Abundances of small mammals in old and young forests on the Olympic Peninsula. 128(abs89)
GLAD, J.B. *see* Halse and Glad, 122(abs62)
GOODWIN, J. The role of mycorrihizal fungi in competitive interactions among native bunchgrasses and alien weeds: a review and synthesis. 251-260
gophers, pocket (*Thomomys* spp.)
  distribution, Witmer, 125(abs77)
GOSSETT, D.N. and M.J. BECHARD. Morphological differences of ferruginous hawks in Alberta and Idaho. 115(abs33)
GOWARD, T. Preliminary observations on "antique" forests and epiphytic macrolichen diversity in British Columbia. 133(abs109)
GRAHAM, W.A. *see* Kiver *et al.*, 109(abs12)
grasses
  interaction with fungi, Goodwin, 251-260
GRAY, A.N. Rapid, repeatable determination of soil moisture in forest canopy gaps using time domain reflectometry. 117(abs43)
GRAY, L.A. Age determination and age at completion of metamorphosis of the tailed frog, *Ascaphus truei*. 115(abs34)
GRAYUM, M. *see* Lincoln *et al.*, 136(abs119)
greenery
  forest production of floral greens, Schlosser *et al.*, 44-55
GUENTHER, P.M. *see* Hubert and Guenther, 224-228
gulls
  Oregon coast flocks, Merrifield, 126(abs82)

habitats
  enhancement for fish, Bilby and Fransen, 137(abs123)
  and spilled fuel oil, Strand et al., 1-14
HAGEN, D.A. The economics of biodiversity. 108(abs5)
HALLETT, J.G., and M.A. O'CONNELL. Sensitivity of population growth rates to life history components for medium-sized mammals. 127(abs85)
HALSE, R.R., and J.B. GLAD. Invasion of indigobush (*Ammorpha fruticosa* L.) along the Columbia and Snake Rivers. 122(abs62)
Hanford Site, Wa.
  groundwater recharge variations, Gee *et al.*, 237-250
HANSON, D.P. Clam species and vertical distribution on a coarse and fine sediment beach in Puget Sound Washington. 111(abs20)
HARDY, J. *see* La Tier and Hardy, 112(abs24)
HARROD, R.J. Rare plants of the Wenatchee Mountains, Washington. 121(abs59)
HARROD, R.J., and R.J. TAYLOR. Vegetation of the Noisy Creek watershed. 121(abs58)
HARTMAN, M.J. Nutritional analysis and effect of crude oil in the larval development of *Hemigrapsus oregonensis*. 111(abs18)
HAUG, P.T. Conserving biodiversity at the landscape level. 108(abs8)
HAWKINSON, C. *see* Avery and Hawkinson, 199-203
hawks, ferruginous (*Buteo regalis*)
  morphological differences, Gossett and Bechard, 115(abs33)
hazards
  snow avalanches, Butler and Malanson, 77-85
HELGERSON, O.T., S.D. TESCH, and S.D. HOBBS. Effects of stocktype, shading, and species on reforestation of a droughty site in south-west Oregon. 57-61
*Hemigrapsus see* crabs
HENDERSON, J.A. *see* Lesher and Henderson, 130(abs95)
HENDERSON, J.A., R.D. LESHER, and D.H. PETER. Ecozones of the northwestern Cascades. 118(abs48)
herbicides
  degradation and vegetation, Entry and Emmingham, 117 (abs44)
herons, great blue
  nesting colonies, Stabins and Raedeke, 126(abs81)
*Heterosigma see* algae
HIBBS, D.E. *see* Leidholt-Bruner *et al.*, 218-223
HILBORN, R. Declining survival rates in British Columbia and Columbia River hatcheries. 137(abs125)
HO, I. *see* LI and Ho, 115(abs36)
HOBBS, S.D. *see* Helgerson *et al.*, 57-61
HOLMES, R.E. Red fox use of the intertidal zone. 115(abs35)
HOUSTON, D.B. *see* Aubry and Houston, 125(abs75)
_____. *see* Woodward *et al.*, 123(abs68)
HOWELL, P. Science, politics, and the Endangered Species Act. 141(abs139)
HUBERT, W.A., and P.M. GUENTHER. Non-salmonid fishes and morphoedaphic features affect abundance of trouts in Wyoming reservoirs. 224-228

IANELLI, J.N. Stock identification using elemental composition of fish hardparts. 134(abs111)
Idaho
  dryland winter wheat, Douglas *et al.*, 26-34
indigobush, (*Ammorpha fruticosa*)
  invasion, Halse *et al.*, 122(abs62)
insects
  crickets, Lorenson, 113(abs28)
  simulating inheritance in fruit flies, Thelen, 114(abs32)
IRVINE, J.R. and N.T. JOHNSTON. Coho salmon (*Oncorhynchus kisutch*) use of lakes and streams in the Keogh River drainage, British Columbia. 15-25
IWAMA, G.K. *see* Mazur and Iwama, 140(abs138)

JAMES, P. *see* Urakawa *et al.*, 114(abs31)
JOHNSON, M.W. The developmental and physiological response of *Cancer magister* megalopae to diel cycles of temperature and salinity. 111(abs17)
JOHNSTON, N.T. *see* Irvine and Johnston, 15-25

KERSCHKE, W.L., and A.B. CAREY. Experimental manipulation of managed stands to provide habitat for spotted owl and to enhance plant and animal diversity. 128(abs90)
KIESTER, R. Biological diversity and forest management. 107(abs2)

KIVER, E.P., J.P. BUCHANAN, B.R. GIBSON, W.A. GRAHAM, I.A. OLNESS, and R. SEVERN. Preliminary investigation of Gardner Cave, Pend Oreille county, Washington. 109(abs12)
KLEPPER, B.L. *see* Douglas *et al.*, 26-34
KOHN, H. *see* Wah and Kohn, 124(abs70)
KONKEL, G. Salmon escapement information system. 140 (abs137)
KOSHY, M.P. and D.T. LESTER. Genetic affects on wood shrinkage in Douglas-fir (*Pseudotsuga menziesii* (Mirb.) Franco). 116(abs40)
KRAFT, G. *see* Minakawa and Kraft, 114(abs30)
KRAMAR, E.A. Effects of cyst density and age on the sedimentation of *Giardia* cysts. 110(abs15)
KWIATKOWSKI, S. *see* Southworth and Kwiatkowski, 40-43

LA TIER, A.J. and J. HARDY. Effects of UVBR on survival of medaka embryos. 112(abs24)
lakes
  Alkali Lake geology, Cameron, 109(abs11)
  coho salmon, Irvine and Johnston, 15-25
  cutthroat trout foraging, Beauchamp *et al.*, 149-159
  fish populations, Bahls, 183-193
  Lake Whatcom watershed, Walker, 110(abs14)
  water quality and frogs, Boyer, 139(abs131)
  *see also* ponds
LANDAHL, J.T. The NOAA National Benthic Surveillance Program database. 133(abs110)
landscape management
  and biodiversity, Peterson, 107(abs1)
  and biodiversity in forests, Haug, 108(abs8)
LAUER, J.L. *see* Bell *et al.*, 160-171
LAVENDER, D.P. and S.N. SILIM. Dormancy, cold hardiness, and stress resistance in lodgepole pine (*Pinus contorta* Dougl.) seedlings. 116(abs37)
_____. Dormancy, cold hardiness, and stress resistance in white spruce (*Picea glauca* (Moench) Lamb.) seedlings. 116(abs38)
LEE, B.S. *see* Garcia *et al.*, 119(abs49)
LEIDHOLT-BRUNER, K., D.E. HIBBS, and W.C. McCOMB. Beaver dam locations and their effects on distribution and abundance of coho salmon fry in two coastal Oregon streams. 218-223
LEONARD, W.P. The past distribution and current status of the spotted frog (*Rana pretiosa*) in western Washington. 125(abs74)
LESHER, R.D. *see* Henderson *et al.*, 118(abs48)
LESHER, R.D., and J.A. HENDERSON. Distribution of some common forest lichens on the Olympic National Forest. 130(abs95)
LESTER, D.T. *see* Koshy and Lester, 116(abs40)
LI, C.Y. and I. HO. Nodule and mycorrhizae formation in *Alnus rubra* by irrigation with a stream water in the forest. 115(abs36)
LICHATOWICH, J. Status and importance of stocks in the Pacific salmon resource. 107(abs3)
lichens
  biodiversity of *Usnea longissima*, Brough, 131(abs104)
  distribution on Garry oak trunks, Ryan, 131(abs102)
  ecology, Brulisauer and Pitt, 130(abs98)
  element content, Rhoades, 132(abs106)
  forest distribution, Lesher and Henderson, 130(abs95)
  frequency of epiphytic species, Palmer-Muller *et al.*, 131(abs101)
  in "antique" forests, Goward, 133(abs109)
  in Douglas-fir, McCune, 132(abs108)
  in old-growth conifers, Sillett and Sillett, 132(abs107)
  names in Cladoniaceae family, Ahti, 132(abs105)
  regeneration after logging, Snyder and Woodard, 130(abs97)
  transplant methods, Derr and McCune, 131(abs103)
  use by wildlife, Sharnoff, 130(abs96)
*Limnanthes* *see* meadowfoam
LINCOLN, R., M. GRAYUM, and B. GIBBONS. Washington fishery assessment initiative. 136(abs119)
LINDAHL, J.T. The NOAA national benthic surveillance program database. 140(abs135)
LITTLE, R.L., and D.L. PETERSON. Effects of climate on regeneration of subalpine forests following wildfire. 123(abs67)
lizards, fence (*Sceloporus occidentalis*)
  translocated, Brown, 127(abs84)
LONDON, B. Book Review: Walks of the Pacific Northwest. 269
LONZARICH, D. Patterns of community structure and microhabitat use by stream fishes in three Washington streams. 137(abs124)
LORENSON, G.D. Phonotactic response in orthopterans. 113(abs28)

MAGUIRE, C.C. Book Review: Wildlife and Vegetation of Unmanaged Douglas-fir Forests. 204-205
MALANSON, G.P. *see* Butler and Malanson, 77-85
mammals
  beaver and salmon fry, Leidholt-Bruner *et al.*, 218-223
  deer habitat use, Bell *et al.*, 160-171
  elk and forests, Woodward *et al.*, 123(abs68)
  elk mortality, Smith *et al.*, 129(abs93)
  fisher distribution, Aubry and Houston, 125(abs75)
  flying squirrel nests, Wilson and Carey, 129(abs92)
  gray whale feeding, Avery and Hawkinson, 199-203
  grazing and plant habitats, Basabe, 120(abs54)
  lodgepole pine damage, Friedmann, 119(abs52)
  mountain beaver food caches, Farley and Campbell, 120 (abs53)
  pocket gopher distribution, Witmer, 125(abs77)
  population growth rates, Hallett and O'Connell, 127(abs85)
  pygmy rabbit burrows, Gahr, 125(abs76)
  red foxes, Holmes, 115(abs35)
  small, in forest remnants, Mills, 127(abs86)
  small, in forests, Gillesberg and Carey, 128(abs89)
  squirrel ecology, Ryan and Carey, 129(abs91)
  tracking, Pullen, 56
  voles and logs, Tallmon and Mills, 128(abs87)
  voles and truffles, Clarkson *et al.*, 128(abs88)
Mars
  possibilities for life, Thomas and Schimel, 109(abs9)
MAZUR, C.F., and G.K. IWAMA. Effect of stocking density on wild and hatchery-reared chinook salmon (*Oncorhynchus tshawytscha*). 140(abs138)
McCOMB, W.C. *see* Leidholt-Bruner *et al.*, 218-223
McCUNE, B. Vertical succession of epiphytes in Douglas fir-hemlock forests. 132(abs108)
_____. *see* Derr and McCune, 131(abs103)
meadowfoam (*Limnathes* sp.)
  clonal propagation, Southworth and Kwiatowski, 40-43
medaka
  embryos and UVBR, La Tier and Hardy, 112(abs24)
*Melaleuca alternifolia*
  in vitro propagation, Wah and Kohn, 124(abs70)
MERATI, N. The spawning dynamics of walleye pollock, *Theragra chalcogramma*, in Shelikof Strait, Gulf of Alaska. 112(abs21)/35(abs115)

MERRIFIELD, K. Species composition of two Oregon central coast gull (*Larus* sp.) flocks. 126(abs82)
MICHAELIS, W.A. *see* Smith *et al.*, 129(abs93)
MILLER, A., and M.J. PARSLEY. Habitat used by spawning and rearing white sturgeon in the lower Columbia River. 139(abs132)
MILLS, L.S. Edge effects on small mammals in forest remnants of SW Oregon. 127(abs86)
_____. *see* Clarkson *et al.*, 128(abs88)
_____. *see* Tallmon and Mills, 128(abs87)
MINAKAWA, N. and G. KRAFT. Juvenile *Oncorhynchus kisutch* diets in creek and adjacent pond populations. 114(abs30)
molluscs
clam species, Hanson, 111(abs20)
squid hatching, Summers, 113(abs27)
MOORHEAD, B.B. *see* Woodward *et al.*, 123(abs68)
MORRISON, P. *see* Wooten and Morrison, 122(abs64)
mosses *see* bryophytes
Mount Hood, Or.
chanterelle harvesting, Norvell, 122(abs63)
Mount St. Helens, Wa.
plant survival under tephra, Zobel and Antos, 122(abs61)
mountain beaver
winter food caches, Farley and Campbell, 120(abs53)
mushrooms
chanterelle productivity, Norvell, 122(abs63)
MYERS, K.W. *see* Walker and Myers, 134(abs112)

NOBLE, S.M. Visions of a stock status information retrieval system (SSIRS). 136(abs121)
NORVELL, L.L. Studying the effects of mushroom harvesting on chanterelle productivity in Oregon's Mt. Hood National Forest. 122(abs63)

oaks, Oregon white (*Quercus garryana*)
foothill woodlands, Riegel *et al.*, 66-76
O'CONNELL, M.A. *see* Hallett and O'Connell, 127(abs85)
oil spills
fate of spilled fuel oil, Strand *et al.*, 1-14
OLNESS, I.A. *see* Kiver *et al.*, 109(abs12)
Olympic National Park
biodiversity, Schreiner, 108(abs6)
*Oncorhynchus* *see* salmon
O'NEILL, G.A. *see* Chanway and O'Neill, 117(abs41)
Oregon
Alkali Lake geology, Cameron, 109(abs11)
deer habitat use, Bell *et al.*, 160-171
dryland winter wheat, Douglas *et al.*, 26-34
oak woodlands, Riegel *et al.*, 66-76
prehistoric utilization of coastal islands, Gard, 207-217
reforestation, Helgerson *et al.*, 57-61
ozone
in forests, Basabe, 118(abs45)

PALMER-MULLER, J., F.J. CAMACHO, S.C. SILLETT, and W.C. DENISON. Changes in relative frequency of epiphytic lichen species on oak and ash twigs in western Oregon, 1971 to 1991. 131(abs101)
PAQUET, P.J., and T.E. PANSKY. Northwest environmental data base. 140(abs136)
PARKS, C.A. *see* Filip *et al.*, 194-198
PARSLEY, M.J. *see* Miller and Parsley, 139(abs132)
PARSONS, J.K. An evaluation of associations between macroinvertebrates and macrophytes in Cannery Pond. 114(abs29)
PAULEY, G.B. Evaluating anadromous salmon and steelhead co-management in Washington state after U.S. v Washington. 135(abs116)
_____. *see* Bonar *et al.*, 142(abs143)
PECK, L. Changes and improvements in Washington salmon culture practices. 138(abs129)
PEEK, J.M. *see* Bell *et al.*, 160-171
PETER, D.H. *see* Henderson *et al.*, 118(abs48)
PETERSON, D.L. Landscape management in a changing environment. 107(abs1)
_____. *see* Little and Peterson, 123(abs67)
_____. *see* Peterson and Peterson, 123(abs65)
_____. *see* Rochefort and Peterson, 123(abs66)
PETERSON, D.W., and D.L. PETERSON. Climate change and subalpine tree growth. 123(abs65)
pines (Pinaceae)
climate and growth, Peterson and Peterson, 123(abs65)
Douglas-fir (*Pseudotsuga menziesii*) wood shrinkage, Koshy and Lester, 116(abs40)
Douglas-fir and mountain beaver, Farley and Campbell, 120(abs53)
Douglas-fir old-growth forests, Maguire, 204-205
grand fir cavity excavators, Bevis, 119(abs51)
hybrid spruce growth, Chanway and O'Neill, 117(abs41)
lodgepole damage, Friedmann, 119(abs52)
lodgepole pine (*Pinus contorta*) seedling resistance, Lavender and Silim, 116(abs37)
spruce seedlings and minerals, Wagner, 124(abs69)
tree invasions, Rochefort and Peterson, 123(abs66)
white spruce (Picea glauca) seedling resistance, Lavender and Silim, 116(abs38)
*Pinus* *see* pines
PITT, M.D. *see* Brulisauer and Pitt, 130(abs98)
PANSKY, T.E. *see* Paquet and Pansky, 140(abs136)
plant communities
riparian and stream management, Armantrout, 136(abs122)
pollock, walleye (*Theragra chalcogramma*)
larvae, Canino and Bailey, 112(abs22)/134(abs113)
spawning, Merati, 112(abs21)/135(abs115)
ponds
juvenile coho salmon, Minakawa and Kraft, 114(abs30)
macroinvertebrates and macrophytes, Parsons, 114(abs29)
trout in reservoirs, Hubert and Guenther, 224-228
*see also* lakes
PRESTON, C.M., X.C. CHANG, and G.F. WEETMAN. Effect of salal removal on tree height growth and foliage N. 117(abs42)
protozoans
*Giardia* cysts, Kramár, 110(abs15)
*Pseudotsuga* *see* pines
PULLEN, K. Book review: A Field Guide to Mammal Tracking in North America. 56
PYLE, C. Windfalls in the Siouxon drainage, southwestern Washington U.S.A. 118(abs47)

rabbits, pygmy (*Brachylagus idahoensis*)
burrows, Gahr, 125(abs76)
RAEDEKE, K. *see* Stabins and Raedeke, 126(abs81)
RAMSTETTER, J. *see* Clarkson *et al.*, 128(abs88)
rangeland
habitat classification, Bielak and Basabe, 121(abs60)
ravens
nesting on San Juan Island, Campbell, 127(abs83)
recreation resource planning
Pacific Northwest walks, London, 269
vegetation and disturbance, Cole and Trull, 229-236

RENSEL, J. Harmful effects of the marine diatom (*Chaetoceros concavicornis*) on net-pen and other fish in Puget Sound. 141(abs142)
reptiles
fence lizards, Brown, 127(abs84)
RHOADES, F. Multivariate analyses of elemental content in lichens of Olympic National Park, Washington. 132(abs106)
RICKARD, W.H., Jr. *see* Brandt and Rickard, 172-182
RICKMAN, R.W. *see* Douglas *et al.*, 26-34
RIEGEL, G.M., B.G. SMITH, and J.F. FRANKLIN. Foothill oak woodlands of the interior valleys of southwestern Oregon. 66-76
ROCH, B.F. Jr. Achene dispersal in yellow starthistle (*Centaurea solstitalis* L.). 62-65
ROCHEFORT, R.M. and D.L. PETERSON. Effects of climate and other environmental factors on tree establishment in subalpine meadows. 123(abs66)
ROCKHOLD, M.L. *see* Gee *et al.*, 237-250
ROGER, P.B. Glaciology, frog farming, and information sharing in the Columbia River basin. 136(abs120)
RYAN, L.A., and A.B. CAREY. Ecology of the western gray squirrel (*Sciurius griseus*) on Fort Lewis Military Base. 129(abs91)
RYAN, M.W. Distributions of bryophytes and lichens on Garry oak trunks. 131(abs102)

salal
competition with conifer growth, Preston *et al.*, 117(abs42)
salmon (*Oncorhynchus*)
chinook decline in numbers, Vogel, 141(abs141)
coho (*O. kisutch*) habitat use, Irvine and Johnston, 15-25
coho juvenile diets, Minakawa and Kraft, 114(abs30)
coho fry and beaver dams, Leidholt-Bruner *et al.*, 218-223
culture practices, Peck 138(abs129)
enhancement initiatives, Bruya, 138(abs130)
escapement information system, Konkel, 140(abs137)
hatchery stocking density, Mazur and Iwama, 140(abs138)
*O. mykiss* food habits, Urakawa *et al.*, 114(abs31)
Pacific stocks, Lichatowich, 107(abs3)
restoration program, Backman, 135(abs117)
restoration program, Lincoln *et al.*, 136(abs119)
sand dollars
*Dendraster excentricus*, Williams, 113(abs26)
SCHIMEL, J.P. *see* Thomas and Schimel, 109(abs9)
SCHLOSSER, W.E., K.A. BLATNER, and B. ZAMORA. Pacific Northwest forest lands potential for floral greenery production. 44-55
SCHREINER, E.G. Biodiversity. 108(abs6)
_____. *see* Woodward *et al.*, 123(abs68)
*Sciurius* *see* squirrels
seagrass
Padilla Bay, Bulthuis, 113(abs25)
SEVERN, R. *see* Kiver *et al.*, 109(abs12)
SHARNOFF, S. Use of lichens by wildlife in North America. 130(abs96)
SHEEHAN, M. Washington Department of Natural Resources' strategy for the protection of biodiversity. 108(abs7)
*Sidalcea malvaeflora*
seed set, Dimling, 35-39
SILIM, S.N. *see* Lavender and Silim, 116(abs37), 116(abs38)
SILLETT, S.C. *see* Palmer-Muller *et al.*, 131(abs101)
SILLETT, S.C., and T.S. SILLETT. A floristic survey of the epiphyte communities inhabiting the crowns of two old-growth conifers in Redwood National Park, California. 132(abs107)
SILLETT, T.S. *see* Sillett and Sillett, 132(abs107)
SLOAN, K. *see* Smith *et al.*, 129(abs93)
SMITH, B.G. *see* Riegel *et al.*, 66-76
SMITH, J.L., W.A. MICHAELIS, and K. SLOAN. Using biotelemetry to measure mortality sources in elk. 129(abs93)
SMITH, S. *see* Urakawa *et al.*, 114(abs31)
snow
avalanches, Butler and Malanson, 77-85
SNYDER, J.M., and P.M. WOODARD. Lichen regeneration following logging in caribou winter habitat in west central Alberta. 130(abs97)
soils
moisture determination, Gray, 117(abs43)
SOUTHWORTH, D. and S. KWIATKOWSKI. Clonal propagation of meadowfoam (*Limnathes* sp.) from bisected seeds. 40-43
Spokane River, Id.
trout populations, Underwood and Bennett, 261-268
SPRAGUE, C.R. Reproduction and early life history of white sturgeon in the Columbia River between Bonneville and McNary dams. 139(abs133)
spruce *see* pines
squawfish
sport-reward fishing program, Burley, 139(abs134)
squid
hatching, Summers, 113(abs27)
squirrels
northern flying (*Glaucomys sabrinus*) nest sites, Wilson and Carey, 129(abs92)
western gray (*Sciurius griseus*), Ryan and Carey, 129(abs91)
STABINS, H., and K. RAEDEKE. Status of great blue heron nesting colonies in King county, Washington. 126(abs81)
STARR, G.L. *see* Filip *et al.*, 194-198
starthistle, yellow (*Centaurea solstitalis*)
achene dispersal, Roch, 62-65
STRAND, J.A., V.I. CULLINAN, E.A. CRECELIUS, T.J. FORTMAN, R.J. CITTERMAN, and M.L. FLEISCHMANN. Fate of Bunker C Fuel Oil in Washington coastal habitats following the December 1988 NESTUCCA oil spill. 1-14
streams
coho salmon, Irvine and Johnston, 15-25
ecology, Lonzarich, 137(abs124)
sturgeon, white (*Acipenser transmontanus*)
habitat, Miller and Parsley, 139(abs132)
reproduction, Sprague, 139(abs133)
SUMMERS, W.C. Delayed hatching of squid as a result of reduced light level. 113(abs27)
surveys
frequency effects. Brandt and Rickard, 172-182
SWANSON, D.A. The disposal of household hazardous waste. 109(abs10)

TALLMON, D.A. and L.S. MILLS. Log use by California red-backed voles. 128(abs87)
TAYLOR, R.J. *see* Harrod and Taylor, 121(abs58)
TESCH, S.D. *see* Helgerson *et al.*, 57-61
THELEN, T.H. Simulating monogenic inheritance in *Drosophila* with HyperCard. 114(abs32)
THOMAS, D.J. and J.P. SCHIMEL, Mars after Viking. 109(abs9)
THOMAS, G.L. *see* Beauchamp *et al.*, 149-159
_____. *see* Bonar *et al.*, 142(abs143)
THOMAS, T.B., and A.B. CAREY. Endangered, threatened and sensitive plants of Fort Lewis Military Reservation. 119(abs50)

_____. Enhancing vegetation and structural diversity by manipulating forest stands. 142(abs144)
THOMPSON, G.G. Management advice from a simple dynamic pool model when stock-recruitment parameters are uncertain. 112(abs23)/134(abs114)
*Thuja* *see* cedar
tracking
mammals, Pullen, 56
TRINH, S. *see* Crawford and Trinh, 120(abs55)
trout
abundance in reservoirs, Hubert and Guenther, 224-228
cutthroat (*Oncorhynchus clarki*) foraging, Beauchamp *et al.*, 149-159
rainbow populations, Underwood and Bennett, 261-268
truffles
in forests, Clarkson *et al.*, 128(abs88)
TRULL, S.J. *see* Cole and Trull, 229-236

UNDERWOOD, T.J. and D.H. BENNETT. Effects of fluctuating flows on the population dynamics of rainbow trout in the Spokane River of Idaho. 261-268
URAKAWA, S., S. SMITH, and P. JAMES. Comparison of the food habits of wild and hatchery *Oncorhynchus mykiss* in the Yakima River basin. 114(abs31)

VECHT, S.A. *see* Beauchamp *et al.*, 149-159
VINCENT, J.W. Economics of biodiversity. 107(abs4)
VOGEL, D. Sacramento winter chinook. 141(abs141)
voles
and truffles, Clarkson *et al.*, 128(abs88)
log use, Tallmon and Mills, 128(abs87)

W-waves
plant space behavior, Wagner, 124(abs71)
WAGNER, D.H. Taxonomy and conservation of the grape ferns and moonworts (genus Botrychium) in the Pacific Northwest. 120(abs56)
WAGNER, O.E. Other harmonics in plant spacings. 124(abs72)
_____. Plant space behavior confirms W-wave hypothesis. 124(abs71)
WAGNER, R.H. Effects of mineral deficiencies on photosynthesis of sitka spruce seedlings. 124(abs69)
WAH, T.-H., and H. KOHN. In vitro propagation, callus induction, and protoplast isolation of *Melaleuca alternifolia*. 124(abs70)
WALKER, R.V., and K.W. MYERS. Stock identification techniques for salmon in the high seas. 134(abs112)
WALKER, S.J. Hydrologic simulation of the Lake Whatcom watershed. 110(abs14)
walks
in Pacific Northwest, London, 269
Washington
dryland winter wheat, Douglas *et al.*, 26-34
Gardner Cave, Kiver *et al.*, 109(abs12)
groundwater recharge, Gee *et al.*, 237-250
lake trout, Beauchamp *et al.*, 149-159
Lake Whatcom watershed, Walker, 110(abs14)
oil spills in coastal waters, Strand *et al.*, 1-4
recreational disturbance and vegetation, Cole and Trull, 229-236
Washington Department of Natural Resources
strategy for biodiversity, 108(abs7)
waste
household hazardous waste disposal, Swanson, 109(abs10)
toxic waste site geology, Cameron, 109(abs11)
water
cloudwater chemistry, Cuykendall and Basabe, 118(abs46)
groundwater recharge variations, Gee *et al.*, 237-250
watersheds
Lake Whatcom watershed, Walker, 110(abs14)
WATSON, J.W. Status and distribution of bald eagles in Washington, 126(abs80)
WEETMAN, G.F. *see* Preston *et al.*, 117(abs42)
whales
gray whale feeding, Avery and Hawkinson, 199-203
wheat
agroclimatic zones for winter wheat, Douglas *et al.*, 26-34
WILLIAMS, B. Emergency flood management—or the blank check approach to fish habitat destruction. 138(abs128)
WILLIAMS, D.C. How different are sand dollars? 113(abs26)
WILSON, T.M. and A.B. CAREY. Nest sites of northern flying squirrels in managed second-growth forests. 129(abs92)
WITMER, G. Distribution and speciation problems with pocket gophers (*Thomomys* spp.) in Oregon and Washington. 125(abs77)
WOODARD, P.M. *see* Garcia *et al.*, 119(abs49)
_____. *see* Snyder and Woodard, 130(abs97)
WOODWARD, A., D.B. HOUSTON, E.G. SCHREINER, and B.B. MOORHEAD. Ungulate/forest relationships in Olympic National Park. 123(abs68)
WOOTEN, G., and P. MORRISON. Variation and relationships of plant communities in the North Cascades. 122(abs64)
WRIGHT, T. Survival and contribution rates from Puget Sound and Washington coastal hatcheries. 137(abs126)
Wyoming
trout in reservoirs, Hubert and Guenther, 224-228
WYSOCKI, D.J. *see* Douglas *et al.*, 26-34

ZAMORA, B. *see* Schlosser *et al.*, 44-55
ZOBEL, D.B., and J.A. ANTOS. Plant survival beneath 1980 tephra from Mount St. Helens. 122(abs61)
ZUZEL, J.F. *see* Douglas *et al.*, 26-34